

Contents

<i>Subject</i>	<i>Page No.</i>
Summary	
-Introduction	1
<i>Chapter one : Literature Review</i>	
1 -Literature Review.	4
1. 1 <i>S.aureus</i> Characteristics	4
1.2 <i>S.aureus</i> taxonomy	5
1.3 Pathogenesis of <i>S.aureus</i>.	6
1.4 Virulence Factors.	7
1.4.1 Surface proteins.	7
1.4.1.1 Staphylococcal Protein A (SpA).	7
1.4.1.2 Adhesins.	8
1.4.2. Toxins	9
1.4.2.1 Cytolytic (pore-forming) toxins.	9
1.4.2.2 Superantigens	10
1.4.2.1 Enterotoxins	10
1.4.2.2 Toxic Shock Syndrome Toxin	11
1.4.2.3 Exfoliative Toxins.	11
1.4.3 Enzymes.	12
1.4.3.1 Catalase	12
1.4.3.2 Hyaluronidase.	12

1.4.3.3 Staphylokinase	12
1.4.3.4 Other enzymes.	12
1.5 The Antibiotic Resistance History	13
1.6 Methicillin-Resistant <i>S. aureus</i>	13
1.7Antibiotics Resistance Genes	15
1.8.1 Vancomycin resistance genes	17
1.8.1.1 <i>Van A</i>	17
1.8.1.2 <i>Van B</i>	18
1.8.2 Macrolides Lincosamide and Streptogramin resistance genes	19
1.8.2.1 <i>Erm A</i>	19
1.8.3 Penicillin resistance gene	20
1.8.3.1 <i>blaZ</i> gene	20
1.8.4Aminoglycoside resistance gene	21
1.8.4.1 <i>AacA-aphD</i>	21

Chapter two: Materials and Methods

2- Materials and Methods.	24
2.1 Materials	24
2.1.1 Equipment and Apparatus.	24
2.1.2Chemicals used in this study	25
2.1.3 Kits.	26
2.1.4 Culture media.	26
2.1.5 Antibiotic disc.	27

2.1.6 Solutions and reagents	28
2.1.6.1 Gram Stain Set:	28
2.1.6.2 Catalase reagents	28
2.1.6.3 McFarland Standard Solution	28
2.1.7 Culture media preparation.	28
2.1.7.1 Brain heart infusion agar.	28
2.1.7.2 Mueller- Hinton agar.	29
2.1.7.3 Mannitol Salt agar.	29
2.1.7.4 Blood agar base.	29
2.1.7.5 Brain heart infusion broth	29
2.1.8 Study design	30
2.2 Method	31
2.2.1 Specimen collection and bacterial isolation	31
2.2.2 . Isolation and identification of bacteria.	31
2.2.3 Conventional Identification	31
2.2.3.1 Microscopic examination and Colony characteristics.	31
2.2.3.1.1 Gram stain.	31
2.2.3.2 Biochemical tests.	32
2.2.3.2.1 Catalase test.	32
2.2.3.2.2 Coagulase Test.	32
2.2. 4 Definitive identification by VITEK 2 –Compact.	32
2.2.5 Antimicrobial Susceptibility Test(AST).	32
2.2.5.1 Disc Diffusion Method.	32

2.2.6 Maintenance of the bacterial strains.	33
2.7. Vancomycin Screening tests	33
2.8 Zone Edge Test for Detection β-Lactamase	34
2.9 D-test for test of inducible Clindamycin resistance	34
2.10 Identification of the gene by PCR	34
2.10.1 Extraction of Bacteria chromosomal DNA	34
2.10.2 Detection of DNA content by Agarose Gel Electrophoresis	36
2.10.3 Master Mix	37
2.10.4 primer used in this study	37
2.10.5 preparation of primer solution	38
2.10.6 Polymerase Chain Reaction protocol	39
2.10.7 Agarose preparation	40
2.10.8 Agarose gel electrophoresis	40

Chapter three :Results and Discussion

3-Results and Discussion:	42
3.1 Bacterial isolation	42
3.2 Occurrence of <i>S.aureus</i>	45
3.3 Antibiotics susceptibility test of <i>S. aureus</i>	52
3.4. Zone edge testing for Detection of β-Lactamase	57

3.5. D-test for inducible Clindamycin resistance	59
3.6. Vancomycin Agar Screening for <i>S. aureus</i>	62
3.7. Molecular estimation of antibiotic resistance genes	65
3.8.1. Estimation of <i>blaZ</i> gene	66
3.7.2. Estimation of <i>aacA-aphD</i> gene	66
3.7.3. Estimation of <i>erm A</i> gene	68
3.7.4. Estimation of Vancomycin resistance genes (<i>Van A and Van B</i> genes)	68
-Conclusion and Recommendation	
References	
Appendix	

List of Tables

Title	Page
Table (1 - 1) Scientific Classification of <i>S. aureus</i>	6
Table (2-1): Equipments and apparatuses used in this study	25
Table (2-2): Chemical used in this study and their company:	26
Table (2-3): Kits used in this study and their company:	27
Table (2-4): Media used in this study and their company:	28
Table (2-5): Antibiotic discs used in this study and their company	29
Table(2-6) clinical samples were collected from patients with different clinical cases	30
Table(2-7) The components of the master mix	40

Table(2-8) Primers used in this study	41
Table(2-9) The mixture of pcr for 20 µl/reaction	42
Table(2-10) PCR cycling program parameter and their condition	43
Table (3-1) Tests used to detect <i>S. aureus</i> isolates from different clinical cases	48
Table (3-2) Number and percentage of <i>S.aurues</i>:	50
Table (3-3) Number and Percentage of Resistance patterns of <i>S. aureus</i>	57
Table (3-4)Results of zone edge test	64
Table (3-5)Showed the D-Test results	67
Table (3-6) The results of molecular estimation for <i>blaZ</i>, <i>Aac-aph</i>, <i>ErmaA</i>, <i>Van A</i> and <i>Van B</i> gene among <i>S.aureus</i> .	72
Table (3-7)Comparison between disk diffution (phenotypic) and genotypic	72
Table (3-8)Comparison between phenotypic test and genotypic	74

List of Figures

Figure	Page
Figure (3-1) Distribution of <i>S.aureus</i> among other Bacterial Growth	41
Figure (3-2) :A :<i>S. aureus</i> colonies and B :gram stain	42
Figure (3-3) Positive results of <i>S. aureus</i> on Mannitol Salt Agar	43
Figure (3-4) Results of catalase test for <i>S. aureus</i>.	43
Figure (3-5) Result of Coagulase Test	44
Figure(3-6)Disk diffusion Method of Susceptibility Test for <i>S.aureus</i>	50
Figure (3-7) Showing the results of zone edge test	55

Figure (3-8) Show the positive result of D-test	59
Figure(3-9) Showed the results of Vancomycin Screen test on BHI(6 µg/ml),	60
Figure(3-10):Ethidium bromide-stained Agarose Gel Electrophoresis of <i>blaZ</i> gene of <i>S.aureus</i> isolates	64
Figure (3-11): Ethidium bromide-stained Agarose Gel of <i>aacA-aphD</i> gene	65
Figure (3-12):Ethidium bromide-stained Agarose Gel Electrophoresis of <i>vanA</i> gene of <i>S.aureus</i> isolates	66
Figure (3-13): Ethidium bromide-stained Agarose Gel Electrophoresis of <i>Van A</i> gene of <i>S.aureus</i> isolates	67
Figure (3-14):Ethidium bromide-stained Agarose Gel Electrophoresis of <i>Van B</i> gene of <i>S.aureus</i> isolates	68